

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

**2009 Isuzu W4S042 NPR HD DSL REG AT**  
NF374 150" WB WHITE CAB OBT AIR PWL



Photo may not represent exact vehicle or selected equipment.

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

## 2009 Retail Isuzu W4S042 NPR HD DSL REG AT

### ***WEIGHT RATINGS***

---

#### **WEIGHT RATINGS - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

---

Front Gross Axle Weight Rating:	5,360.00
Rear Gross Axle Weight Rating:	9,880.00
Gross Vehicle Weight Rating:	14,500.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:  
 STOCK# F29035  
 VIN# JALC4W16197001331

Prepared By:  
 administrator  
 RDO TRUCK CENTER  
 3401 38TH ST S  
 FARGO, ND 58104  
 Phone: (701) 282-5400  
 Fax: (701) 282-8220

2009 Retail Isuzu W4S042 NPR HD DSL REG AT

**SELECTED MODEL & OPTIONS**

**SELECTED MODEL - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
NF374	2009 Isuzu W4S042 NPR HD DSL REG AT 150" WB WHITE CAB OBT AIR PWL	\$42,644.00

**SELECTED VEHICLE COLORS - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

<u>Code</u>	<u>Description</u>
-	Interior: Very dark pewter
-	Exterior 1: Arc White
-	Exterior 2: No color has been selected.

**SELECTED OPTIONS - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CUSTOM/BASE MODEL		
NF374	CUSTOM/BASE MODEL -inc: side mounted fuel tank, pwr windows/door locks (REQ: C60 Air Conditioning)	\$0.00
MODEL OPTION		
C60	AIR CONDITIONING	\$1,272.00
VEHICLE APPLICATION		
RQ2	TRUCK APPLICATION (STD)	INC
EMISSIONS		
___	50 STATE EMISSIONS	INC
ENGINE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:  
 STOCK# F29035  
 VIN# JALC4W16197001331

Prepared By:  
 administrator  
 RDO TRUCK CENTER  
 3401 38TH ST S  
 FARGO, ND 58104  
 Phone: (701) 282-5400  
 Fax: (701) 282-8220

2009 Retail Isuzu W4S042 NPR HD DSL REG AT

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ENGINE		
IR6	4HK1-TC, DIESEL ENGINE 317 CID (5.19L), 205HP AT 2400 RPM: 441FT-LB GROSS TORQUE AT 1850 RPM. 4 CYLINDER, 16 VALVE, FOUR CYCLE, OVERHEAD CAM, TURBOCHARGED, INTER-COOLED, WATER COOLED EGR VALVE, DIRECT INJECTION, ELECTRONICALLY CONTROLLED COMMON RAIL FUEL SYSTEM, engine cruise control and idle up function. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. Rear engine cover. (STD)	INC
TRANSMISSION		
IR7	TRANSMISSION, AUTOMATIC, AISIN A465 6-SPEED, Ratios: 3.742, 2.003, 1.343, 1.000, 0.773, 0.634, Rev 3.539 (STD)	INC
AXLE		
099	REAR AXLE RATIO, 4.777:1 (STD)	INC
WHEELBASE		
IB1	WHEELBASE, 150" (381.0 CM), includes ladder type channel frame. Full C section straight frame 33.5 inches (85.1 cm) wide. Yield strength 44,000 psi, section modulus 11.89 cu.in. and RBM 523,160 lb-ft/in per rail. (STD)	INC
FRONT TIRES		
I53/I69	FRONT TIRES, 215/85R16E (10 PLY) TUBELESS RADIAL, ALL SEASON (STD)	INC
REAR TIRES		
I53/I34	REAR TIRES, 215/85R16E (10 PLY) TUBELESS RADIAL, ALL SEASON (STD)	INC
PAINT SCHEME		
ZY1	SOLID PAINT (STD)	INC
PRIMARY PAINT		
---	ARC WHITE	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

2009 Retail Isuzu W4S042 NPR HD DSL REG AT

**SELECTED MODEL & OPTIONS**

**SELECTED OPTIONS - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

**CATEGORY**

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
SEAT TRIM		
34C	VERY DARK PEWTER, TRICOT & JERSEY KNIT COMBINATION CLOTH SEAT TRIM (STD)	INC
ADDITIONAL OPTIONS		
IL7	AM/FM CD STEREO RADIO	\$380.00
I66	ENGINE BLOCK HEATER (120V 600W)	\$80.00
IS0	HEATED MIRRORS	\$104.00
IH2	ENGINE SHUTDOWN SYSTEM -inc: high water temperature (HWT), low water level (LWL), low oil pressure (LOP)	\$100.00
DEALER INSTALLED OPTIONS		
<u>.DLR</u>	DELTA 16FT VAN BODY WITH 12FT ALUMINIM RAMP	<u>\$8,790.00</u>
<b>OPTIONS TOTAL</b>		<b>\$10,726.00</b>

An underlined code indicates that the options have been applied by the dealer. All sales prices established solely by dealer.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

2009 Retail Isuzu W4S042 NPR HD DSL REG AT

***PRICING SUMMARY***

---

**PRICING SUMMARY - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

---

	<b><i>MSRP</i></b>
Base Price	\$42,644.00
Total Options:	\$10,726.00
Vehicle Subtotal	\$53,370.00
Tire Weight Tax	\$0.00
Advert/Adjustments	\$0.00
Destination Charge	\$1,025.00
<b>GRAND TOTAL</b>	<b>\$54,395.00</b>

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

## 2009 Retail Isuzu W4S042 NPR HD DSL REG AT

### **WARRANTY INFORMATION**

---

#### **WARRANTY INFORMATION - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

---

##### WARRANTY

###### Basic:

Gas: 3 Years/36,000 Miles  
Diesel: 3 Years/Unlimited Miles

###### Drivetrain:

Gas Engine  
5 Years/75,000 Miles  
Diesel Engine  
3 Years/Unlimited Miles

###### Corrosion:

4 Years/Unlimited Miles

###### Frame Rails:

3 Years/36,000 Miles  
3 Years to 5 Years/Unlimited Miles Parts and Labor have a 50% charge

###### Emissions:

5 Years/50,000 Miles  
Diesel W4500, W5500, W5500HD  
5 Years/100,000 Miles  
Short Term California  
3 Years/50,000 Miles  
Long Term California  
7 Years/70,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

## 2009 Retail Isuzu W4S042 NPR HD DSL REG AT

### ***STANDARD EQUIPMENT***

---

#### **STANDARD EQUIPMENT - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

---

##### *EXTERIOR*

- Paint Scheme, Solid
- Cab Mounts, All steel low cab forward, BBC 70.9 in. (180.1 cm) 45 deg. mechanical tilt with torsion assist
- Daytime running lamps
- Windows, Tinted glass
- Mirrors, Dual cab mounted exterior with integral convex mirror
- Windshield Wipers, Intermittent wet-arm

##### *INTERIOR*

- Tricot and jersey knit combination cloth covered reclining highback driver seat with single two occupant fold down passenger seat
- Floor mats
- Tilt and telescoping steering column
- Cruise control
- Power windows & door locks

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

## 2009 Retail Isuzu W4S042 NPR HD DSL REG AT

### **STANDARD EQUIPMENT**

---

#### STANDARD EQUIPMENT - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL

---

##### *MECHANICAL*

- Truck Application
- GVWR, 14500 lbs (6577 kg) capacity
- 4HK1-TC, diesel engine 317 CID (5.19L), 205 HP at 2400 RPM: 441 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbocharged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system, engine cruise control and idle up function. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. Rear engine cover.
- Air Cleaner, Dry Paper single element (Donaldson brand). Air cleaner canister standard with air restriction gauge.
- Alternator, 110 AMP with integral regulator
- Battery, Dual Delco 12-V maintenance free, 750 CCA each
- Transmission, Automatic, Aisin A465 6-speed, Ratios: 3.742, 2.003, 1.343, 1.000, 0.773, 0.634, Rev 3.539
- Rear wheel drive
- Front GAWR, 5360 lbs (2431 kg) capacity
- Front Axle, Reverse Elliot "I"-beam rated at 6830 lbs. (3098 kg). Includes integral hydraulic power steering. Ratio 18.8-20.9:1
- Front Suspension, 8440 lbs. (3828 kg) capacity. Semi-elliptical tapered leaf springs. Includes shock absorbers and stabilizer bar.
- Front Wheels, 16" x 6", 6-hole disc, painted white
- Front Tires, 215/85R16E (10 ply) tubeless Radial, all season
- Rear GAWR, 9880 lbs (4481 kg) capacity
- Rear Axle, R066, full-floating single-speed, 14,550 lbs. (6600 kg) capacity with oil lubricated rear wheel bearings
- Rear Axle Ratio, 4.777:1
- Rear Suspension, 9880 lbs. (4481 kg) capacity. Semi-elliptical main and auxiliary multi-leaf springs. Includes shock absorbers.
- Rear Wheels, 16" x 6", 6-hole disc, painted white
- Rear Tires, 215/85R16E (10 ply) tubeless Radial, all season

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

**Prepared For:**  
STOCK# F29035  
VIN# JALC4W16197001331

**Prepared By:**  
administrator  
RDO TRUCK CENTER  
3401 38TH ST S  
FARGO, ND 58104  
Phone: (701) 282-5400  
Fax: (701) 282-8220

## 2009 Retail Isuzu W4S042 NPR HD DSL REG AT

### ***STANDARD EQUIPMENT***

---

#### **STANDARD EQUIPMENT - 2009 Retail NF374 150" WB WHITE CAB OBT AIR PWL**

---

- Wheelbase, 150" (381.0 cm), includes ladder type channel frame. Full C section straight frame 33.5 inches (85.1 cm) wide. Yield strength 44,000 psi, section modulus 11.89 cu.in. and RBM 523,160 lb-ft/in per rail.
- Fuel Tank, 33-gallon (124.9L) cylindrical fuel tank. Outside mounted on right hand frame rail. Fuel water separator with dash mounted warning light.
- Brake System, Dual circuit, vacuum assisted hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard. 4 channel anti-lock brake system.
- Exhaust Brake, Butterfly valve type
- Exhaust System, Single horizontal with DPF (Diesel Particulate Filter)

#### *SAFETY*

- 4 channel anti-lock brake system
- Daytime running lamps
- EBD (Electronic Brake Distribution)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 150.0, Data updated 5/12/2009 4:09:00 PM  
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File: